




BASEMENT FOUNDATION WALL SCHEDULE						
MARK	THICKNESS	VERT REINFORCEMENT		HORIZ REINFORCEMENT		REMARKS
		SIZE	SPACING	SIZE	SPACING	
W-8	8"	#4	9"	#4	9"	BASEMENT FOUNDATION WALL
W-8A	8"	#4	16"	#4	16"	TYP. FOUNDATION WALL-ENDWALL


CRAWL SPACE FOUNDATION WALL SCHEDULE						
MARK	THICKNESS	VERT REINFORCEMENT		HORIZ REINFORCEMENT		REMARKS
		SIZE	SPACING	SIZE	SPACING	
W-8	8"	#4	12"	#4	12"	CRAWL SPACE FOUNDATION - SIDE WALL
W-8A	8"	#4	16"	#4	16"	CRAWL SPACE FOUNDATION WALL - END WALL


BASEMENT FOOTING SCHEDULE												
MARK	WIDTH	LENGTH	THICKNESS	REINFORCEMENT CROSSWISE				REINFORCEMENT LENGTHWISE				REMARKS
				NO.	SIZE	LENGTH	SPACING	NO.	SIZE	LENGTH	SPACING	
F-1	36"	CONT.	12"	-	#5	30"	24"	4	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-2	24"	CONT.	12"	-	#5	18"	48"	2	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-3	20"	CONT.	12"	-	-	-	-	2	#5	CONT.	EQ.	CONTINUOUS FOOTING

CRAWL SPACE FOOTING SCHEDULE												
MARK	WIDTH	LENGTH	THICKNESS	REINFORCEMENT CROSSWISE				REINFORCEMENT LENGTHWISE				REMARKS
				NO.	SIZE	LENGTH	SPACING	NO.	SIZE	LENGTH	SPACING	
F-1	36"	CONT.	12"	-	-	-	-	3	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-2	24"	CONT.	12"	-	-	-	-	2	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-3	20"	CONT.	12"	-	-	-	-	2	#5	CONT.	EQ.	CONTINUOUS FOOTING




A J-BOLT LAYOUT DETAIL





1 TRIO BASEMENT SIDE WALL EXT. CONTINUOUS FOOTING NTS

5501 *ENGINEERING FEE APPLIES



2 TRIO SIDE WALL EXTERIOR CONTINUOUS FOOTING NTS

5501



BASEMENT FOUNDATION WALL SCHEDULE

MARK	THICKNESS	VERT REINFORCEMENT		HORIZ REINFORCEMENT		REMARKS
		SIZE	SPACING	SIZE	SPACING	
W-8	8"	#4	12"	#4	12"	BASEMENT FOUNDATION WALL
W-8A	8"	#4	18"	#4	18"	TYP. FOUNDATION WALL-ENDWALL

CRAWL SPACE FOUNDATION WALL SCHEDULE


MARK	THICKNESS	VERT REINFORCEMENT		HORIZ REINFORCEMENT		REMARKS
		SIZE	SPACING	SIZE	SPACING	
W-8	8"	#4	12"	#4	12"	CRAWL SPACE FOUNDATION - SIDE WALL
W-8A	8"	#4	16"	#4	16"	CRAWL SPACE FOUNDATION WALL - END WALL

BASEMENT FOOTING SCHEDULE

MARK	WIDTH	LENGTH	THICKNESS	REINFORCEMENT CROSSWISE				REINFORCEMENT LENGTHWISE				REMARKS
				NO.	SIZE	LENGTH	SPACING	NO.	SIZE	LENGTH	SPACING	
F-1	36"	CONT.	12"	-	#5	30"	24"	3	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-2	24"	CONT.	12"	-	-	-	-	2	#5	CONT.	EQ.	CONTINUOUS FOOTING


CRAWL SPACE FOOTING SCHEDULE


MARK	WIDTH	LENGTH	THICKNESS	REINFORCEMENT CROSSWISE				REINFORCEMENT LENGTHWISE				REMARKS
				NO.	SIZE	LENGTH	SPACING	NO.	SIZE	LENGTH	SPACING	
F-1	36"	CONT.	12"	-	-	-	-	3	#5	CONT.	EQ.	CONTINUOUS FOOTING
F-2	24"	CONT.	12"	-	-	-	-	2	#5	CONT.	EQ.	CONTINUOUS FOOTING



PLAN VIEW


A J-BOLT LAYOUT DETAIL





1 DUO BASEMENT SIDE WALL EXT. CONTINUOUS FOOTING NTS

5501 *ENGINEERING FEE APPLIES



2 DUO SIDE WALL EXTERIOR CONTINUOUS FOOTING NTS

5501